


Administration & Configuration

Installation & Setup




MASCOT

: Administration & Configuration © 2007-2021 Matrix Science

**MATRIX
SCIENCE**

The Mascot Installation & Setup manual is linked from your local Mascot home page. If you need detailed information on any aspect of Mascot installation or configuration, this is the place to look

Installation & Setup



MASCOT

: Administration & Configuration © 2007-2021 Matrix Science



This is an administrator's manual, not a user manual. You won't find much relating to how to submit a search or how to interpret the results. User help is in the Mascot HTML pages.

Installation & Setup

- Mascot Security
- Configuration Editor
- Log Files
- Cluster mode

These are the topics we will cover in this presentation


Mascot Security

Examples of how Mascot security can be used:

- Ordinary users can browse configuration files and status screens, but not make changes
- Certain sequence databases are 'private' to a group of users
- Limit some users to one search at a time while others can run many searches simultaneously
- Limit the length of searches from a particular group to 1 hour
- Prevent certain users submitting 'no enzyme' searches
- Let 'customers' view the results of searches run for them without being able to submit searches themselves.

Mascot security is not a substitute for a firewall. It won't stop your server being hacked or infected by a virus. It is a way of managing and allocating the Mascot Server resources.

Mascot Security - enable / disable



When Mascot is first installed, Mascot security is disabled. So, if you try to log in you will see this message.

To enable security, open a command prompt or a shell on the Mascot server, and change to the mascot/bin directory. Mascot Server version 2.6 and later have their own local version of Perl so we have to run the command with the path to Perl first and then enable_security.pl (or ./enable_security.pl if Linux).

Windows


```
..\perl64\bin\perl enable_security.pl
..\perl64\bin\perl disable_security.pl
```

Linux

```
../perl64/bin/perl enable_security.pl
../perl64/bin/perl disable_security.pl
```

This takes a few seconds. If you forget the administrator password, it can always be reset to 'admin' by running this script again.

Mascot Security - administration



MASCOT

: Administration & Configuration © 2007-2021 Matrix Science



All security configuration is browser based. The top level page of the security administration utility looks like this.

There is a list of users, a list of groups and a few options.

If you hold the mouse over any of the blue text, help will appear at the bottom of the screen.

The options shown on this page are global options, which apply to all users.

Reference:

You can't disable security from here - it has to be done on the server using the disable security command

The session timeout is in seconds. After this period of inactivity, the user will be required to login again.

The password expiry time is in days. After this period of time, the user will be required to enter a new password. Set to 0 to allow passwords to be permanent

Any new password must be at least this length.

Session cookies are automatically destroyed when the browser is closed. With some browsers, session cookies are not shared when a new instance of the browser is opened, which might mean that a user has to login again for each new window opened.

If verify the IP address is set, then any request to perform a privileged action will compare the IP address that the request is coming from with the one originally used to login.

Logging level should normally be left at 3

Mascot Security - “role based”

Users

- Login name
- Password, password expiry
- Full name, email address
- Account enabled / disabled
- Member of one or more groups.

Groups

- Name
- List of members
- List of allowed tasks.

Mascot security is “role based”. This means that privileges, known as tasks, are assigned to groups, not individual users.

Users gain these privileges by being members of one or more groups.

Mascot Security - tasks

For example

- Allow PMF search
- Allow MS/MS search
- Maximum number of queries
- Can view the search log
- Can search specific databases
- Can view other peoples results.

There are 30 different tasks that members of a group can be allowed to perform - for example:

Mascot Security - add user

The screenshot shows a web browser window with the address bar displaying 'http://1440p-jsc/mascot/s-cgi/security_admin.pl'. The page title is 'Mascot Security Administration - Add user'. The user is logged in as 'Administrator'. The form contains the following fields and options:

- Name:** Text input field with 'johns' entered.
- Password:** Password input field with masked characters.
- Password expiry:** Radio button options: 'Never' (selected), 'Default', and 'Force change at next login'.
- Full name:** Text input field with 'John Smith' entered.
- Email address:** Text input field with 'jsmith@someurl.edu' entered.
- User type:** Dropdown menu with 'Standard Mascot user' selected.
- Account enabled:** Checkmark is checked.
- User is a member of the following groups:** A list box containing 'Guests', 'Administrators', 'Anonymous', and 'Daemons'. 'Administrators' is selected.

Buttons at the bottom: 'Add user' and 'Cancel'.

Footer text: 'A user must belong to one or more groups. If a user belongs to multiple groups, then they have rights to perform any of the tasks specified for any of the groups.'

Adding a new user is very simple.

The Administrator must enter a username and password and it is usually a good idea to force the user to enter a new password when they first login

Enter their full name and email address. The user will be able to change this

I'll return to the choice of user types later - most users should just be standard Mascot users.

Make sure that the account is enabled, and then select one or more groups for the user to belong to.

Example - Core Lab. Customer


If you don't want the customers to be able to do any searches, but just view the results, then just give them the access to tasks:

SEARCH:	Allow all fasta databases to be searched
VIEW:	See search results from other people in your own group
VIEW:	Allow user to view the search log
ADMIN:	Allow use of Database Status application

In a core lab., you may want a group that enables customers to view their results. In this case, only give them rights to perform these tasks:

You must allow all fasta databases to be searched, otherwise they won't be able to view reports. However, they can't perform PMF or MS/MS searches, because this task is missing.

Example - Core Lab. Customer




MASCOT : Administration & Configuration © 2007-2021 Matrix Science



A group member will be able to view the search log, see their results, but when they try to do a repeat search, access is denied

Example - Daemon & Distiller




Client software, like Mascot Distiller and Mascot Daemon, requires special privileges. The Mascot Daemon user must have the security token 'Mascot Daemon is allowed to submit searches'. The default daemons group settings shown here are appropriate for either a Daemon or Distiller client.

View config files is required because both clients need to retrieve configuration information from the server, like a list of the databases that are available.

Mascot users can be given the privilege to submit searches under other user names. This is particularly useful in a core lab, when customers only have privileges to see their own search results, so the instrument operator needs to submit their searches under individual customer log-in names. The security task is 'For Mascot Daemon, allow spoofing of another user'.

Example - Daemon & Distiller



MASCOT

: Administration & Configuration © 2007-2021 Matrix Science

**MATRIX
SCIENCE**


If this has been enabled for the user who is running Mascot Daemon, then a drop down list of other Mascot user names will be enabled on the Task Editor tab.

Example - 3rd party applications

Older applications that submit searches to Mascot won't have their own login

Try logging in using Internet Explorer before running the application - cookies

Use one of the 'special' user types:



The screenshot shows a web form for adding a user. It includes fields for 'Email address', 'User type', 'Account enabled', 'Computer name', 'IP address', and 'Agent string'. The 'User type' dropdown menu is open, showing options: 'User authenticated using web server' (selected), 'Standard Mascot user', and 'Agent string'. Below the dropdown are 'Add user' and 'Cancel' buttons. A 'Multipl shift' button is also visible on the right.

There are potential issues with older, legacy applications that interface with Mascot but don't have code to support the security system.

Since session ids are saved as cookies, and since most Windows applications that access web sites use Microsoft Internet Explorer libraries, it may be sufficient just to login from an Internet Explorer browser window before starting the application.

Alternatively, you can use one of the special user types.

Example - 3rd party applications

Computer name / IP address

- Never have to log in from that computer
- Use the computer name / IP address as the 'name'

Agent string

- Can determine the agent string from the web server logs
- Not secure because someone could create another app to use this agent string

Web server authentication.

These methods are less secure than a password protected login, but ensure that all applications are able to connect somehow.

Mascot Security - general tips

- Plan carefully before implementation
- Login as admin to perform admin tasks
- Enabling Mascot security doesn't stop your server from being hacked.
- Moving Mascot to another computer?

Just copy over *user.xml*, *group.xml* and *security_options.xml*.

I can't stress enough that you should plan what you intend to do before you start. Think carefully about what groups you want to create

As any Unix administrator will tell you, it's always best to separate your administration and user tasks. However, we can't force you, but that is why the default admin user cannot submit searches.

It is very important to understand that Mascot security does not provide protection against a malicious hacker. Hackers don't attack a server through Mascot ... they've probably never heard of Mascot. They attack through weaknesses in the operating system and through flaws in well known applications, like the web server. It is still essential to have a dedicated firewall between the Mascot server and the Internet

Configuration Editor

(Almost) everything in Mascot is configured using text files in the config directory

- General settings - *mascot.dat*
- Masses and modifications - *unimod.xml*
- Enzymes - *enzymes*
- MS/MS ions series - *fragmentation_rules*
- Taxonomy categories - *taxonomy*
- Cluster geometry - *nodelist.txt*
- Security - *group.xml*, *user.xml*, *security_options.xml*, *security_tasks.xml*

(Almost) everything in Mascot is configured using these text files in the config directory. The syntax for each of these files is described in the manual.

Configuration Editor



MASCOT

: Administration & Configuration © 2007-2021 Matrix Science

**MATRIX
SCIENCE**

You can edit these files in a text editor, but it is easier and safer to use the browser-based Configuration Editor.

The first three entries are interfaces to different sections of the pair of unimod files, master.xml and usermod.xml.

The Linkers and Crosslinking editors are covered in the Crosslinking presentation and the editors are interfaces to the master_xl.xml and usermod_xl.xml pair of files plus the crosslinking.xml file.

While the quantitation editor is an interface to the quantitation.xml file and covered in the quantitation presentation.

Configuration Editor

Symbol	Name	Monoisotopic	Average	Composition
13C	Carbon 13	13.003355	13.0034	13C
15N	Nitrogen 15	15.000109	15.0001	15N
18O	Oxygen 18	17.999160	17.9992	18O
2H	Deuterium	2.014102	2.0141	2H
Ac	Acetate	42.015565	42.0367	C(2) H(2) O
Ag	Silver	106.905092	107.8682	Ag
As	Arsenic	74.921594	74.9216	As
Au	Gold	196.966542	196.9666	Au
B	Boron	11.009306	10.811	B
Br	Bromine	79.918336	79.904	Br
C	Carbon	12	12.0107	C
Ca	Calcium	39.962591	40.078	Ca
Cd	Cadmium	113.903357	112.411	Cd
Cl	Chlorine	34.968853	35.453	Cl
Co	Cobalt	58.933198	58.9332	Co
Cr	Chromium	51.940510	51.9961	Cr
Cu	Copper	62.929599	63.546	Cu
dHex	Decoy-hexose	146.057909	146.1412	C(6) H(10) O(4)
F	Fluorine	18.998403	18.9984	F
Fe	Iron	55.934939	55.845	Fe
H	Hydrogen	1.007825	1.0079	H
Hep	Heptose	192.063388	192.1666	C(7) H(12) O(6)
Hex	Hexose	182.052824	182.1408	H(10) C(6) O(5)
HexNAc	Hexosamine	176.032088	176.1241	C(6) H(10) O(5)
HexNAc	N-Acetyl Hexosamine	203.079373	203.1925	C(8) H(13) N O(5)
Hg	Mercury	201.970617	200.59	Hg
I	Iodine	126.904472	126.9045	I
K	Potassium	39.963707	39.0983	K
Kds	3-deoxy-D-glucero-D-galacto-nomulosonic acid	250.068868	250.2027	C(19) H(34) O(18)
Kdsu	2-keto-3-deoxyrhamnosonic acid	220.059303	220.1747	C(18) H(32) O(17)
Li	Lithium	7.016003	6.941	Li
Me	Methyl	14.015650	14.0266	C H(2)
Mg	Magnesium	24.305042	24.305	Mg
Mn	Manganese	54.938047	54.9380	Mn
Mo	Molybdenum	97.905407	95.04	Mo

MASCOT

: Administration & Configuration © 2007-2021 Matrix Science



You may need to add or edit an element or an amino acid, but its fairly unlikely.

Configuration Editor

The screenshot shows the UNIMOD Configuration Editor interface. The browser window title is 'Unimod - Microsoft Internet Explorer'. The address bar shows 'http://www.unimod.org/modifications_jst.php?opt=7'. The page header includes 'UNIMOD protein modifications for mass spectrometry' and a 'Help' link. Below the header, there is a search bar with 'Search for:' and a 'Search' button. A table of modifications is displayed with columns: Accession #, PSI-MS Name, Interim name, Description, Monoisotopic mass, Average mass, and Composition. The table lists various modifications such as 'Label:13C(6)15N(4)', 'Ser->Pro', 'Thr->Ile', 'Thr->Asn', 'Methylamine', 'Pro->pyro-Glu', 'Trp->Oxalactone', 'Methyl', and 'Asp->Glu'. On the right side, there is a sidebar with a 'Check Unimod' button circled in red.

MASCOT

: Administration & Configuration © 2007-2021 Matrix Science



The modifications file, unimod.xml, is an XML representation of a public database called Unimod. This is the interface to the public database. From time to time, you should update your local file by downloading the latest file using the “Check Unimod” button at the bottom of the Modifications editor.

Configuration Editor

Title	Monoisotopic	Average	Composition	Source	Visibility	Err Tol
2-dimethylsuccinyl	144.042259	144.1253	H8(1) C16(1) O1(4)	Unimod	long	yes Copy Print
2-monoisomethylsuccinyl	130.026659	130.0987	H8(1) C13(1) O1(4)	Unimod	long	yes Copy Print
2-nitrobenzoyl	135.032028	135.1201	H5(1) C7(1) N1(1) O1(2)	Unimod	short	yes Copy Print
2-succinyl	116.010959	116.0722	H4(1) C14(1) O1(4)	Unimod	long	yes Copy Print
2HPO	282.052824	282.2476	H1(10) C16(1) O1(5)	Unimod	long	yes Copy Print
3-deoxyglucose	144.042259	144.1253	H8(1) C16(1) O1(4)	Unimod	long	yes Copy Print
3-phosphoglyceroyl	167.982375	168.0420	H5(1) C13(1) O1(6)	P Unimod	long	yes Copy Print
3sulf	163.983029	164.1693	H4(1) C17(1) O1(4)	S Unimod	long	yes Copy Print
4-ONE	154.099380	154.2063	H14(1) C19(1) O1(2)	Unimod	long	yes Copy Print
4-ONE-Delta(HC-2)(O-1)	136.088815	136.1910	H12(1) C19(1) O1(2)	Unimod	long	yes Copy Print
4sulfatyl	372.142033	372.3671	H24(1) C17(1) O1(9)	Unimod	long	yes Copy Print
a-type-ion	-46.005479	-46.0254	H(-2) C(-1) O(-2)	Unimod	long	yes Copy Print
AcQTag	170.048013	170.1674	H(6) C18(1) H2(1)	O Unimod	long	yes Copy Print
Acetyl	42.010565	42.0367	H2(1) C2(1) O1(2)	Unimod	mixed	yes Copy Print
Acetyl-13C12	44.017274	44.0220	H2(1) 13C12(1) O1(2)	Unimod	long	yes Copy Print
Acetyl-2H3	45.029395	45.0552	H(-1) 2H3(1) C1(2)	O Unimod	long	yes Copy Print
Acetyldeoxyhypusine	97.089149	97.1582	H1(1) C16(1) N1(1)	Unimod	long	yes Copy Print
Acetylthypusine	113.084064	113.1576	H1(1) C16(1) N1(1)	Unimod	long	yes Copy Print
ADP-Ribosyl	941.061110	941.3005	H21(1) C15(1) N1(1) O1(3)	Unimod	long	yes Copy Print
AEBs	183.035399	183.2276	H9(1) C18(1) N1(1) O1(2)	S Unimod	long	yes Copy Print


MASCOT

: Administration & Configuration © 2007-2021 Matrix Science



If you need to add a new modification that will be of interest to others, it's best to add it to the public Unimod database, so that the information is available to all Mascot users. If you want to create a local definition, because the modification is confidential or because you are just experimenting. If so, use the Modifications section of the configuration editor

Configuration Editor



MASCOT

: Administration & Configuration © 2007-2021 Matrix Science

**MATRIX
SCIENCE**

The user interface is fairly self explanatory, and help is displayed for each field when you mouse over the label. If the modification is from the downloaded unimod.xml file, and you want to make changes, click on the 'Make editable' link


Configuration Editor

The screenshot shows a web browser window titled 'Mascot configuration' with the URL '1440p-jsc/mascot/v.cgi/ms-config.exe?u=1411992791'. The page is titled 'Edit Modification : Piperidine' and includes a 'Logout' link for the 'Administrator' user. The form contains the following fields and sections:

- Name:** Title (Piperidine), Fullname (Piperidination)
- Delta:** Tabs for Specify, Ignore Masses, Misc, and References.
- Delta section:** Monoisotopic (68.062600), Average (68.1170), and Composition (H(8) C(5)).
- Composition section:** Symbols (13C), 1, and an Add button.
- Buttons:** Save changes, Cancel, Update, Revert to Unimod, and Show differences.
- Help Window:** A large empty text area at the bottom.

All aspects of the modification become editable. If you want to see the differences between the original Unimod entry and the local entry, choose 'Show differences'. If you want to discard your changes, choose 'Revert to Unimod'

Configuration Editor



MASCOT

: Administration & Configuration © 2007-2021 Matrix Science

MATRIX
SCIENCE

The top level page allows you to filter the listing. Here, we have checked the box to show only local definitions

Configuration Editor

Title	Sense	Cleave at	Restrict	Independent	Semispecific	Edit	Delete
Trypsin	C-Term	KR	P	no	no	Edit	Delete
TrypsinP	C-Term	KR	P	no	no	Edit	Delete
Asp-C	C-Term	R	P	no	no	Edit	Delete
Asp-N	N-Term	BD		no	no	Edit	Delete
Asp-N_ambic	N-Term	DE		no	no	Edit	Delete
Chymotrypsin	C-Term	FLIYY	P	no	no	Edit	Delete
CNBr	C-Term	H		no	no	Edit	Delete
CNBr+Trypsin	C-Term	KR	P	no	no	Edit	Delete
Formic_acid	N-Term	D		no	no	Edit	Delete
Lys-C	C-Term	K	P	no	no	Edit	Delete
Lys-CP	C-Term	K		no	no	Edit	Delete
LysC+AspK	N-Term	BD		no	no	Edit	Delete
Lys-N	N-Term	K		no	no	Edit	Delete
Papain	C-Term	FL		no	no	Edit	Delete
semiTrypsin	C-Term	KR	P	no	yes	Edit	Delete
TrypChymo	C-Term	FLKRIYY	P	no	no	Edit	Delete
TrypsinMSDP	N-Term	J		no	no	Edit	Delete
TrypsinMSDP	C-Term	J		no	no	Edit	Delete
TrypsinMSDP	N-Term	J		no	no	Edit	Delete
TrypsinMSDP	C-Term	JKR		no	no	Edit	Delete
V8-DE	C-Term	BDEZ	P	no	no	Edit	Delete
V8-E	C-Term	EZ	P	no	no	Edit	Delete
NoCleave	C-Term	J	ABCDEFGHIKLMNQRSTUWXYZ	no	no	Edit	Delete
None							

Add new enzyme Main menu


MASCOT

: Administration & Configuration © 2007-2021 Matrix Science



Similarly for Enzymes and Instruments. The other sections: Quantitation, Linkers, Crosslinking, Database Manager, and Security, have been touched on in earlier presentations.

Configuration Editor



The Configuration Options section deals with various global settings stored in mascot.dat. Remember that all the sections of mascot.dat that deal with sequence database configuration may be re-written at any time by Database Manager. If you've been in the habit of editing mascot.dat in a text editor, only the Options and Cluster sections can be modified safely unless you decide never to use Database Manager.

There are two configuration files that are missing from the configuration editor: Taxonomy categories (taxonomy) and Cluster geometry (nodelist.txt). If you need to make changes to these, you still have to use a text editor. You can find full details of the file formats in the manual.

Log Files - Troubleshooting

The files in the logs directory are the first place to look if there is a problem

- Installation - *install.log* (Windows only)
- General errors - *errorlog.txt*
- Database update utility - *ftp_log.txt*
- Mascot Monitor events - *monitor.log*
- Security events - *security.log*
- Cluster bootstrapping - *load_node.log* (Unix only)
- Cluster communication - *ipc.log*.

The log files are the first place to look if there is a problem. Most of these files can be accessed from a browser via links in the database status utility, which we'll come to in a minute

Log files - *searches.log*

- May need to split / roll over the log if it gets very large
- Can be recreated using *ms-makesearchlog.exe*
- If you move Mascot to a new machine, transfer *searches.log* and *mascot.job* along with the search results files
- Tab separated values; easily transferred to spreadsheet or relational database.


Every Mascot search adds a new line to the searches log. If the server is busy, the log files can get very large. For most of the logs, you'll probably want to delete the file from time to time. The searches log is different, and you'll probably want to keep all entries indefinitely. Best idea is to rename the file periodically. For example, *searches.log.20060301*. The system will then create a new one automatically.

If the search log is accidentally damaged, a new one can be created by scanning all the result files on the disk

If you move Mascot to a new machine, you'll probably want to transfer or rebuild *searches.log*. The other important file is *mascot.job*, which contains the "next" job number. If you don't copy this across, your job numbers will start all over and you'll have to sort the search log by descending start time to locate the most recent searches.

Some people import the search log into a database application so as to make it easier to search or filter, especially if it gets very large

Log files - database status



MASCOT

: Administration & Configuration © 2007-2021 Matrix Science



The database status page has links to many of the log files mentioned earlier.

This is the starting point for troubleshooting problems, especially those connected with database updates

When Mascot Monitor first starts, there is a single entry per database. Once a database has been updated, there are two entries, one for the “old” file and one for the ‘new’. We need this double view, because of the way databases can be updated in the background, without interrupting searches. During database exchange, while the new file is compressed and tested, searches can still be submitted to run against the old file. Once the new file is ready, all new searches are run against the new file. So, on a busy server, there may be a period when you have searches running against both the old and new files. As soon as the last search on the old file has completed, the old database can be taken out of use. Mascot monitor takes care of all of this automatically.

Log files - database status

```
Mascot Job status - Job 1269

Database      : SwissProt
Job Number    : 1269
Process ID    : 8350
Task ID       : 164270112201
User Name     : Cat R. Pillar
User ID       : 0
User email    : leaf@mul.ch
Search title   : A few peptides from an LCMS run
Percent complete : 51%
Intermed file  : ../data/20220120/F001269.dat
Start time    : Thu Jan 20 12:52:02 2022
End time      :
Searching... time : 0
Upload time    : 0
Query prep time : 0
Whole process time: 0
Job status     : Searching....
Priority        : current value 0. Change this by -5 -1 +1 +5
IP address     : fe80::8192:b8d2:1f1
Type of sech   : MS
Enzyme?        : Yes
CPU utilisation : 0%
Job requests?  : No requests. Kill / Pause / Resume

Back to main status page
```

You can drill down from the database status page to a list of searches for each database, and then down to the details of an individual search, as shown here.

If necessary, you can kill or pause a search from this page, or change its priority

Log files - search log viewer

The screenshot shows the Mascot Search Log viewer interface. The browser address bar shows the URL: `mascofserver26/mascot/s-cg/ms-review.exe`. The page title is "MASCOT search log". The version is 2.6.2 - Matrix Science, Inc (R2A2-C3DF-HER5-BEFD-GEML). The interface includes a table with columns: Job#, PID, dbase, User Name, Email, Ti, In, start time, Durati, Status, Prio, Type, Enzyme, IP, and User ID. The table is sorted by Job# and filtered by start time. Annotations point to various features: "Select log file" points to the "Log File" dropdown; "Set range" points to the "Start at" and "how many" fields; "Sort on column" points to the "Sort / filter" dropdown; "Filter" points to the "start time" filter box; and "Uncheck to hide column" points to the checkboxes for "Ti" and "In".

MASCOT : Administration & Configuration © 2007-2021 Matrix Science

MATRIX SCIENCE

This is the search log viewer. You can sort on any of the columns using the radio buttons and then pressing Sort / filter.

The checkboxes determine whether a column is shown or hidden. The two hidden columns are Ti for title and In for intermediate file. This is a hyperlink to display the raw mascot result file, but you can only see the first two characters of the file name, which are "..". The hyperlink in the first column displays the formatted result report.

You can set the number of lines to display, and whether to start at the beginning or end of the file.

You can also filter the display by entering text into the edit boxes. For example, your user name or a word from the search title

If you have split the search log into sections, then you can choose which file to display by entering the path

Log Files - Troubleshooting

Other useful files


- Database compression
`<database>/current/<database>.errors`
- Database taxonomy
`<database>/current/<database>.NoTaxonomyMatch.txt`
- Database statistics
`<database>/current/<database>.stats`
- Web server access and error logs
- System event or message log.

The first three files are most easily viewed using the links in database status.

Sometimes, there will be nothing in the Mascot logs because the problem is external to Mascot. Sometimes, it can be useful to look at the web server logs or even the operating system logs.

The Windows Event Viewer (control panel; administrative tools) allows you to browse Windows system messages

Cluster mode



Just a few words about Mascot cluster mode

Mascot supports cluster operation using a Beowulf-like topology. Mascot supports cluster mode as standard, whenever the licence is for 4 CPU's or more. You just have to hook up an appropriate number of PC's on a local LAN

Cluster mode

- **Every search is distributed to all the cluster nodes**
 - Each node searches a portion of the sequence database
 - Get the parallel processing advantage for a single spectrum
 - Search results are returned to the master, which merges them, and writes the result file to disk
- **All master - node communication is via TCP/IP**
 - Simple, socket-based communication
 - No parallel operating system required
- **Configuration and program files are distributed and updated automatically from the Master node**
 - A cluster behaves and looks like a single server
- **Need dedicated or partitioned hardware**
 - Cannot allocate machines dynamically
 - General purpose server farm usually not cost effective

In cluster mode, every search is distributed to all the cluster nodes, and each node searches a portion of the sequence database. This means that you get the parallel processing advantage for a single spectrum. Search results are returned to the master, which merges them, and writes the result file to disk

All master - node communication is via TCP/IP. This uses simple, socket-based communication. A parallel operating system is not required

Configuration and program files are distributed and updated automatically from the Master node, so the cluster behaves and looks like a single server

Sometimes, we are asked about running Mascot on a general purpose server farm, that is being used for other applications.

For standard PC hardware, the cost of the Mascot licence is greater than that of the hardware. For a given capacity, the lowest cost route will always be a minimum number of licences on dedicated hardware. If you want to run Mascot on machines that are part of a larger cluster, best to partition off a number of nodes, either for exclusive Mascot use, or where Mascot has absolute priority over other processes.

Mascot cluster nodes cannot be dynamic because of the size of the database files. The time taken to move these files between machines, or even just in and out of memory, would always be unacceptable

Cluster mode

The screenshot shows the 'Mascot search status page' in a web browser. It displays detailed information for two search nodes:

- Node 1:** Name = `UP9136_B_taurus`, Family = `/home/matrix/site/matrix/sequence/UP9136_B_taurus/current/UP9136_B_taurus_*.fasta`, File name = `UP9136_B_taurus_20210929.fasta`, Pathname = `/srv/mascot/sequence/UP9136_B_taurus/current/UP9136_B_taurus_20210929.fasta`. Status = `In use`. State Time = `Sun Dec 5 15:01:17`. # searches = `0`. Mem mapped = `YES`. Request to mem map = `YES`. Request unmap = `NO`. Mem locked = `NO`. Number of threads = `-1`. Current = `YES`. Type = `Amino acid`.
- Node 2:** Name = `Vertebrates_EST`, Family = `/home/matrix/site/matrix/sequence/Vertebrates_EST/current/Vertebrates_EST_*.fasta`, File name = `Vertebrates_EST_135.fasta`, Pathname = `/srv/mascot/sequence/Vertebrates_EST/current/Vertebrates_EST_135.fasta`. Status = `In use`. State Time = `Mon Nov 29 13:17:16`. # searches = `0`. Mem mapped = `YES`. Request to mem map = `YES`. Request unmap = `NO`. Mem locked = `NO`. Number of threads = `-1`. Current = `YES`. Type = `Nucleic acid`.

Below this information is a table titled 'Cluster Nodes' showing the status of 13 nodes in the cluster:

Node	IP Address	OS	Responding	Physical Memory	Swap file	Disk space
slave01	192.168.70.1	Linux	OK	10% free	99% free	20% free
slave02	192.168.70.2	Linux	OK	10% free	99% free	20% free
slave03	192.168.70.3	Linux	OK	10% free	99% free	20% free
slave04	192.168.70.4	Linux	OK	49% free	99% free	20% free
slave05	192.168.70.5	Linux	OK	10% free	99% free	20% free
slave07	192.168.70.7	Linux	OK	10% free	99% free	20% free
slave08	192.168.70.8	Linux	OK	10% free	99% free	20% free
slave09	192.168.70.9	Linux	OK	10% free	99% free	20% free
slave10	192.168.70.10	Linux	OK	11% free	99% free	20% free
slave11	192.168.70.11	Linux	OK	11% free	99% free	20% free
slave12	192.168.70.12	Linux	OK	10% free	99% free	20% free
slave13	192.168.70.13	Linux	OK	11% free	99% free	20% free

MASCOT

: Administration & Configuration © 2007-2021 Matrix Science



If you have a Mascot cluster, it is almost as easy to administer as a single machine. Everything is reported and controlled through the master node. The Cluster Nodes table provides a an overview of the search nodes; smiley faces or green unhappy faces. If you need a closer look at one of the search nodes, follow the links to view the search node log files.

Sources of Information

Using Mascot Server

- The HTML help pages

Mascot Server installation, configuration, and troubleshooting

- Installation & Setup Manual
- Support pages on www.matrixscience.com

Using Mascot Daemon

- Online help (F1)

Using Mascot Distiller

- Online help (F1)

Anything not answered by the above

- support@matrixscience.com

Finally, a reminder of where you can find technical information about Mascot